








## SMART ORBIS MOON




	EAN	W	Module lm	Fixture lm	K	IP	°C	V~	mA	Hz	DF
SMART WIFI ORBIS MOON RD 380 TW BK	4058075486362	26	2400	1500	3000- 6500	20	-20...+40	220-240	128	50/60	>0.9
SMART WIFI ORBIS MOON RD 480 TW BK	4058075486386	34	3200	2000	3000- 6500	20	-20...+40	220-240	150	50/60	>0.9
SMART WIFI ORBIS MOON RD 380 TW GR	4058075486409	26	2400	1500	3000- 6500	20	-20...+40	220-240	128	50/60	>0.9
SMART WIFI ORBIS MOON RD 480 TW GR	4058075486423	34	3200	2000	3000- 6500	20	-20...+40	220-240	150	50/60	>0.9




**801 g**  
4058075486362  
4058075486409

3x  3x 

1x 


**1309 g**  
4058075486386  
4058075486423

mm




	H	Ø
Ø380 26W BK	85	380
Ø480 34W BK	86	480
Ø380 26W GR	85	380
Ø480 34W GR	86	480

**1**




**ON**  
**OFF**

**2**




**3**












4058075486362  
4058075486409

**4**



4058075486386  
4058075486423



	EAN	This product contains a light source of energy efficiency class	Contained Light Source
SMART WIFI ORBIS MOON RD 380 TW BK	4058075486362	F	Contains 3 light sources 
SMART WIFI ORBIS MOON RD 480 TW BK	4058075486386	F	Contains 4 light sources 
SMART WIFI ORBIS MOON RD 380 TW GR	4058075486409	F	Contains 3 light sources 
SMART WIFI ORBIS MOON RD 480 TW GR	4058075486423	F	Contains 4 light sources 



C10449057  
G11125878  
01.09.2021



LEDVANCE GmbH  
Steinerne Furt 62  
86167 Augsburg, Germany  
[www.ledvance.com](http://www.ledvance.com)